

FACULTAD DE CIENCIAS DE LA SALUD

Escuela Académico Profesional de Medicina Humana

Tesis

**Job Insecurity According to the Mental Health of
Workers in 25 Peruvian Cities during the COVID-19
Pandemic**

Nataly Palomino Ruiz
Jeanet Guzman Loayza

Para optar el Título Profesional de
Médico Cirujano

Huancayo, 2022






Repositorio Institucional Continental
Tesis digital



Esta obra está bajo una Licencia "Creative Commons Atribución 4.0 Internacional" .

Article

Job Insecurity According to the Mental Health of Workers in 25 Peruvian Cities during the COVID-19 Pandemic

Nataly Palomino-Ruiz ¹, Aldo Alvarez-Risco ² , Jeanet Guzman-Loayza ¹, Oscar Mamani-Benito ³ ,
Martín A. Vilela-Estrada ⁴, Víctor Serna-Alarcón ^{4,5} , Shyla Del-Aguila-Arcntales ^{6,*}, Jaime A. Yáñez ^{7,8,*} 
and Christian R. Mejía ¹ 

¹ Facultad de Medicina Humana, Universidad Continental, Huancayo 12000, Peru

² Carrera de Negocios Internacionales, Facultad de Ciencias Empresariales y Económica, Universidad de Lima, Lima 15023, Peru

³ Facultad de Derecho y Humanidades, Universidad Señor de Sipán, Chiclayo 14000, Peru

⁴ Escuela de Medicina Humana, Facultad de Medicina, Universidad Privada Antenor Orrego, Trujillo 13001, Peru

⁵ Hospital José Cayetano Heredia, EsSalud, Piura 20002, Peru

⁶ Escuela de Posgrado, Universidad San Ignacio de Loyola, Lima 15024, Peru

⁷ Vicerrectorado de Investigación, Universidad Norbert Wiener, Lima 15046, Peru

⁸ Gerencia Corporativa de Asuntos Científicos y Regulatorios, Teoma Global, Lima 15073, Peru

* Correspondence: sdelaquila@usil.edu.pe (S.D.-A.-A.); jaime.yanez@uwiener.edu.pe (J.A.Y.)



Citation: Palomino-Ruiz, N.; Alvarez-Risco, A.; Guzman-Loayza, J.; Mamani-Benito, O.; Vilela-Estrada, M.A.; Serna-Alarcón, V.; Del-Aguila-Arcntales, S.; Yáñez, J.A.; Mejía, C.R. Job Insecurity According to the Mental Health of Workers in 25 Peruvian Cities during the COVID-19 Pandemic. *Sustainability* **2022**, *14*, 14799. <https://doi.org/10.3390/su142214799>

Academic Editor: Lotfi Aleya

Received: 3 September 2022

Accepted: 13 October 2022

Published: 9 November 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

Abstract: The pandemic brought various problems among workers, one of them being job insecurity, since many lost their jobs and others had the possibility of being fired, which could influence their mental health. The aim of this analytical cross-sectional study was to determine the relationship between job insecurity and mental health among workers in 25 Peruvian cities during the COVID-19 pandemic. Previously validated surveys were used to inquire about job insecurity and three mental health disorders (depression, anxiety, and stress) as well as other variables. Of the 1855 workers, 14% had moderate or higher levels of stress, 30% had anxiety, and 16% had depression. Having had job insecurity was associated with moderate or higher levels of depression (RPa: 1.71; 95% CI: 1.51–1.94; p -value < 0.001), anxiety (RPa: 1.43; 95% CI: 1.25–1.64; p -value < 0.001), and stress (RPa: 1.77; 95% CI: 1.41–2.22; p -value < 0.001). Depression was also associated with having been fired during the pandemic and associated with eight professions. Anxiety was associated with being a man and having been fired, while stress was associated with three professions. There is a clear association between having job insecurity and suffering from the three mental pathologies evaluated, which highlights the importance of assessing the mental impact.

Keywords: COVID-19; coronavirus infections; job insecurity; mental health; health workers; mortality; positivity; Peru; death; pandemic

1. Introduction

The implementation of social distancing [1–3] and quarantines [4–7] because of the COVID-19 pandemic [8] generated various mental health effects [9–19]. For instance, it generated job insecurity because of a higher intention workers to leave their jobs due to mental distress [20–22]. Peru was severely affected because of the first and second wave of the pandemic, resulting in the country with the highest mortality rate [23]. Multiple reasons have been reported for this, such as its fragile healthcare system [24–26] characterized by a lack of organizational support in healthcare facilities [14]. The general public was exposed to fake news [27] and conspiracy theories [28], which generated technostress [29] and multitasking behavior [30]. The lack of clear public policies generated mental distress [31,32] and an urgency for self-care behaviors [33,34] including the use of unproven drugs [25,35,36] and medicinal plants [25,36] in part based on their knowledge and appreciation of plants containing bioactive

compounds [37–48]. It has been further reported that this has impacted the vaccination intention [49].

Multiple studies reveal that university students are the leading group affected by these disorders [29,50–53]. The loss of millions of lives charged due to COVID-19 led many families to a state of mourning [54], increasing the levels of anxiety and depression [55,56]. On the other hand, it was shown that the loss of a family member produces a series of neuropsychological changes such as alterations in the reward system, neurocognitive functioning, and neuronal systems involved in emotional regulation [54]. It has been reported in all these areas that there was much deterioration of mental health because many people either lost their jobs or saw their jobs endangered because the pandemic generated business closures [57,58] and social restrictions [59–62]. There are rare exceptions where there was little job insecurity, especially among healthcare workers, police, military, and others who were in the first line of defense [63–65]. However, despite not having the insecurity of losing their job, they could become infected and generate mental problems due to specific job insecurity [63–65], which has been evidenced in populations worldwide, where it is disclosed that working populations were the most affected economically and labor-wise. However, few studies have large, multicenter samples or have been carried out during the entire period of the pandemic; some of them were conducted at a specific time [66,67].

Job insecurity has affected various business such as small firms [68,69], sports events [70], the hospitality industry [71,72], higher education [13,29,73], healthcare [74], circular economy projects [75,76], start-ups [77] and technology [78,79]. Psychological disorders such as depression, anxiety, and stress are diseases that can afflict anyone regardless of race, sex or age. Likewise, they are conditions that have a high impact on public health, hence the importance of their being investigated [80]. According to the World Health Organization (WHO, Geneva, Switzerland), “depression is a frequent mental disorder, characterized by sadness, loss of interest or pleasure, feelings of guilt or lack of self-esteem, sleep or appetite disorders, feelings of tiredness and lack of concentration” [81]. Similarly, anxiety and stress are less severe disorders, but they alter the quality of life of people who suffer from them [82]. The WHO revealed that these psychological disorders affect more than 264 million people worldwide, and this number is increasing [83]. Therefore, it is essential to determine how mental health was related to the job insecurity perceived by workers, especially in a severely affected country such as Peru [84–87]. In this study, we surveyed 25 cities that correspond to 19 departments of Peru with different economic frameworks. The population of the departments are Piura (2.10 million), La Libertad (2.02 million), Arequipa (1.58 million), Junin (1.41 million), Lambayeque (1.36 million), Cusco (1.36 million), Puno (1.32 million), Ancash (1.23 million), Lima (1.21 million), Loreto (0.98 million), Ica (0.97 million), San Martín (0.92 million), Ayacucho (0.70 million), Apurímac (0.45 million), Huancavelica (0.39 million), Tacna (0.38 million), Pasco (0.29 million), Tumbes (0.26 million), and Moquegua (0.20 million) [88]. Regarding the socioeconomic structure, the population (urban–rural) in each department is stratified into four socioeconomic levels; AB, C, D and E (highest to lowest) [88]. The departments with the lowest socioeconomic levels (E) are: Huancavelica (81.3% of the population) being the department with the highest poverty, followed by Ayacucho and Apurímac (67.6% for both), Puno (64.4%), Cusco (64.2%), Loreto (60.1%), Pasco (53.9%), Junin (52.4%), San Martín (51.0%), Ancash (43.9%), Piura (36.4%), and La Libertad (33.3%) [88]. The department with the highest population in the D socioeconomic level was Tumbes with 42.1% of the population followed by Lambayeque (33.8%). For the C socioeconomic level, Lima (46.6%) was followed by Ica (46.0%), Arequipa (41.6%), Moquegua (40.0%) and Tacna (41.0%). The department with the highest percentage in the AB stratum was Lima (the capital) with 21.1% of the population [88]. In this context, the aim of this analytical cross-sectional study was to determine the relationship between job insecurity and mental health among workers in 25 Peruvian cities during the COVID-19 pandemic.

2. Methodology

2.1. Design and Population

An analytical, multicenter (1 center per city, 25 in total), cross-sectional study was conducted during June 2020 to February 2022. Workers of legal age (over 18 years old) were included who accepted to be part of the research and worked during the period surveyed in any company in Peru. The exclusion criteria including incomplete questionnaires or provided anomalous answers. Secondary analysis was performed on this data, since the primary endpoint has been used for other publications.

2.2. Variables

The dependent variable was mental health, which was measured through the suffering of three pathologies: depression, anxiety, and stress. These were measured through the DASS-21, which through 21 questions measures quickly and effectively the suffering of these three pathologies. Each one had four possible Likert-type responses and had been revalidated in Latin America [89–92] and used on multiple occasions by research in Peru [93,94]. The levels of depression, anxiety, or stress was categorized as moderate, severe, and very severe. Job insecurity was assessed using an instrument previously validated by our research group [95]. The validation process showed that the four questions had high reliability [95]. The four questions have five possible alternatives of the Likert type (from strongly disagree to agree strongly). For the analytical statistics, the points obtained for each question were added up, and those who were in the top third of the scores were considered to have job insecurity compared to those who were in the middle or bottom third of the scores (considered as those who did not have adequate job insecurity). The following demographic variables were collected: gender, age, type of work, work status during the pandemic (worked during the entire pandemic, worked during part of the pandemic, was fired), the type of work (in person, remote, hybrid), and work category (administrative or operator).

2.3. Data Analysis

First, a descriptive type of analysis was executed where the population was described with frequencies and percentages (for categorical variables and the best measure of central tendency and dispersion (for quantitative variables, this post evaluation with the Shapiro–Wilk statistical test). Afterward, bivariate and multivariate analysis was performed using generalized linear models (with Poisson family, log link function, models for robust variances, and adjustment for the city where they resided). With this, prevalence ratios (crude and adjusted), 95% confidence intervals, and *p*-values were obtained. It is essential to mention that for a variable to enter an adjusted model, it had to have a *p*-value < 0.05 within its categories, and this was also the cut-off point to determine the final statistical association. The data were analyzed by Stata, version 11.1.

2.4. Ethical Aspects

The primary research was approved by the ethics committee of the Universidad Privada Antenor Orrego (UPAO) (N° 0049-2022-UPAO).

3. Results

Of the 1855 workers surveyed, the most frequent work category was those working in a municipality (11.5%); most respondents were male (56.7%) and had a median age of 34 years (interquartile range: 27–44 years); the vast majority had constant work during the pandemic (75.8%), worked in person (54.4%), and were operators (57.3%) (Table 1).

Table 1. Characteristics of workers during the COVID-19 pandemic in Peru.

Variable	N	Percentage
Labor category		
Miner	152	8.2%
Municipality	213	11.5%
Police officer	115	6.2%
Military	111	6.0%
Primary school teacher	188	10.1%
High school teacher	139	7.5%
Store	206	11.1%
Street vendor	86	4.6%
Transportation	75	4.1%
Guard	98	5.3%
Legal	108	5.8%
Doctor	78	4.2%
Nurse	136	7.3%
Other healthcare professional	150	8.1%
Gender		
Male	1051	56.7%
Female	804	43.3%
Age (years)		
Mean and standard deviation	35.9	11.2
Median and interquartile range	34	27–44
Work during the pandemic		
I always had	1407	75.8%
I got fired	129	7.0%
I had it for moments	319	17.2%
Type of job		
In person	1008	54.4%
Remote	275	14.8%
Hybrid	572	30.8%
Type of work you do		
Administrative	792	42.7%
Operator	1063	57.3%

Thirty-three percent of the respondents were classified as having job insecurity, 14% had moderate or higher stress levels, 30% had anxiety, and 16% had depression (Figure 1).




Figure 1. Frequencies of job insecurity and moderate or higher levels of stress, anxiety, and depression in Peruvian workers during the pandemic.

Security guards (62%), transportation workers (51%), and street vendors (50%) were the professionals with the highest levels of job insecurity. On the other hand, police officers (17%), military personnel (18%), and doctors (19%) had the lowest levels of job insecurity (Figure 2).




Figure 2. Percentage of job insecurity by type of work or industry in Peru during the pandemic.

In the multivariate model, moderate or severe depression was associated with having had job insecurity (PRa: 1.71; 95% CI: 1.51–1.94; p -value < 0.001), having been fired during the pandemic (PRa: 1.63; 95% CI: 1.17–2.28; p -value = 0.004) and, compared to the mining category, having worked in the municipality (PRa: 2.59; 95% CI: 1.15–5.86; p -value = 0.022), as primary school teachers (PRa: 4.26; 95% CI: 1.48–12.21; p -value = 0.007), as street vendors (PRa: 3.11; 95% CI: 1.33–7.32; p -value = 0.009), in transportation (RPa: 3.28; 95% CI: 1.35–7.97; p -value = 0.009), as security guards (RPa: 2.84; 95% CI: 1.47–5.49; p -value = 0.002), in the legal field (RPa: 2.90; 95% CI: 1.05–7.96; p -value = 0.039), as nurses (RPa: 3.85; 95% CI: 1.59–9.31; p -value = 0.003) and other health professionals (RPa: 2.92; 95% CI: 1.29–6.59; p -value = 0.010); this was adjusted for sex and city of residence (Table 2).

Table 2. Bivariate analysis of socio-occupational factors associated with moderate or severe depression in Peruvian workers during the pandemic.

Variable	Moderate or Severe Depression		Prevalence Ratio (IC 95%) <i>p</i> -Value	
	No, N (%)	Yes, N (%)	Raw (Bivariate)	Adjusted (Multivariate)
Job insecurity				
No	1087 (87.6)	154 (12.4)	Comparison category	Comparison category
Yes	478 (77.8)	136 (22.2)	1.78 (1.56–2.04) < 0.001	1.71 (1.51–1.94) < 0.001
Labor category				
Miner	143 (94.1)	9 (5.9)	Comparison category	Comparison category
Municipality	180 (84.5)	33 (15.5)	2.62 (1.02–6.68) 0.044	2.59 (1.15–5.86) 0.022
Police officer	103 (89.6)	12 (10.4)	1.76 (0.42–7.38) 0.438	2.15 (0.47–9.84) 0.322
Military	102 (91.9)	9 (8.1)	1.37 (0.48–3.95) 0.561	1.73 (0.69–4.35) 0.245
Primary school teacher	149 (79.3)	39 (20.7)	3.50 (1.18–10.39) 0.024	4.26 (1.48–12.21) 0.007
High school teacher	113 (81.3)	26 (18.7)	3.16 (0.77–12.03) 0.112	3.47 (0.87–13.95) 0.079
Store	178 (86.4)	28 (13.6)	2.30 (0.99–5.34) 0.054	2.33 (0.99–5.48) 0.052
Street vendor	66 (76.7)	20 (23.3)	3.93 (1.62–9.51) 0.002	3.11 (1.33–7.32) 0.009
Transportation	58 (77.3)	17 (22.7)	3.83 (1.52–9.62) 0.004	3.28 (1.35–7.97) 0.009
Guard	80 (81.6)	18 (18.4)	3.10 (1.50–6.42) 0.002	2.84 (1.47–5.49) 0.002
Legal	92 (85.2)	16 (14.8)	2.50 (0.95–6.46) 0.058	2.90 (1.05–7.96) 0.039
Doctor	68 (87.2)	10 (12.8)	2.17 (0.81–5.73) 0.121	2.65 (0.96–7.29) 0.060
Nurse	107 (78.7)	29 (21.3)	3.60 (1.56–8.30) 0.003	3.85 (1.59–9.31) 0.003
Other healthcare professionals	126 (84.0)	24 (16.0)	2.70 (1.19–6.15) 0.018	2.92 (1.29–6.59) 0.010
Sex				
Female	908 (86.4)	143 (13.6)	Comparison category	Comparison category
Male	657 (81.7)	147 (18.3)	1.34 (1.07–1.69) 0.012	1.18 (0.99–1.39) 0.061
Age (years)	33 (27–43)	35 (26–46)	1.00 (0.99–1.02) 0.583	Did not enter the model
Work during the pandemic				
I always had	1206 (85.7)	201 (14.3)	Comparison category	Comparison category
I got fired	98 (76.0)	31 (24.0)	1.68 (1.21–2.35) 0.002	1.63 (1.17–2.28) 0.004
I had it for moments	261 (81.8)	58 (18.2)	1.27 (0.85–1.90) 0.237	1.20 (0.72–2.09) 0.479
Type of job				
In person	851 (84.4)	157 (15.6)	Comparison category	Did not enter the model
Remote	229 (83.3)	46 (16.7)	1.07 (0.70–1.64) 0.743	Did not enter the model
Hybrid	485 (84.8)	87 (15.2)	0.98 (0.69–1.39) 0.894	Did not enter the model
Type of work you do				
Administrative	659 (83.2)	133 (16.8)	Comparison category	Did not enter the model
Operator	906 (85.2)	157 (14.8)	0.88 (0.67–1.15) 0.349	Did not enter the model

Prevalence ratios, 95% confidence intervals (95% CI), and *p*-values were obtained with generalized linear models (Poisson family, log link function, models for robust variances, and adjusted for the city where they lived). The age variable was analyzed quantitatively.

In the multivariate model, moderate or major anxiety was associated with having had job insecurity (PRa: 1.43; 95% CI: 1.25–1.64; *p*-value < 0.001), having been fired during the pandemic (PRa: 1.58; 95% CI: 1.27–1.98; *p*-value < 0.001) and sex (RPa: 1.38; 95% CI: 1.23–1.55; *p*-value < 0.001); this was adjusted for the category and the city where they resided (Table 3).

Table 3. Bivariate analysis of socio-labor factors associated with moderate or major anxiety in Peruvian workers during the pandemic.

Variable	Presence of Moderate or Severe Anxiety		Prevalence Ratio (IC 95%) <i>p</i> -Value	
	No, N (%)	Yes, N (%)	Raw (Bivariate)	Adjusted (Multivariate)
Job insecurity				
No	928 (74.8)	313 (25.2)	Comparison category	Comparison category
Yes	375 (61.1)	239 (38.9)	1.54 (1.30–1.83) < 0.001	1.43 (1.25–1.64) < 0.001
Labor category				
Miner	117 (77.0)	35 (23.0)	Comparison category	Comparison category
Municipality	144 (67.6)	69 (32.4)	1.41 (0.69–2.87) 0.349	1.30 (0.73–2.34) 0.377
Police officer	93 (80.9)	22 (19.1)	0.83 (0.37–1.88) 0.657	0.90 (0.41–1.97) 0.791
Military	89 (80.2)	22 (19.8)	0.86 (0.45–1.66) 0.654	1.01 (0.55–1.85) 0.975
Primary school teacher	135 (71.8)	53 (28.2)	1.22 (0.63–2.40) 0.554	1.32 (0.68–2.56) 0.408
High school teacher	81 (58.3)	58 (41.7)	1.81 (0.75–4.39) 0.188	1.83 (0.79–4.24) 0.157
Store	156 (75.7)	50 (24.3)	1.05 (0.57–1.93) 0.865	0.96 (0.50–1.82) 0.897
Street vendor	58 (67.4)	28 (32.6)	1.41 (0.92–2.18) 0.118	1.02 (0.66–1.58) 0.929
Transportation	50 (66.7)	25 (33.3)	1.45 (0.65–3.22) 0.365	1.24 (0.56–2.76) 0.591
Guard	59 (60.2)	39 (39.8)	1.73 (0.94–3.18) 0.079	1.57 (0.86–2.87) 0.141
Legal	78 (72.2)	30 (27.8)	1.21 (0.64–2.29) 0.565	1.25 (0.66–2.40) 0.483
Doctor	62 (79.5)	16 (20.5)	0.89 (0.50–1.58) 0.694	0.97 (0.55–1.72) 0.921
Nurse	80 (58.8)	56 (41.2)	1.79 (1.03–3.11) 0.039	1.65 (0.93–2.92) 0.086
Other healthcare professional	101 (67.3)	49 (32.7)	1.42 (0.77–2.61) 0.261	1.36 (0.76–2.43) 0.298
Sex				
Female	786 (74.8)	265 (25.2)	Comparison category	Comparison category
Male	517 (64.3)	287 (35.7)	1.42 (1.17–1.72) < 0.001	1.38 (1.23–1.55) < 0.001
Age (years)	34 (27–44)	34 (27–43)	1.00 (0.99–1.01) 0.583	Did not enter the model
Work during the pandemic				
I always had	1020 (72.5)	387 (27.5)	Comparison category	Comparison category
I got fired	72 (55.8)	57 (44.2)	1.61 (1.20–2.15) 0.001	1.58 (1.27–1.98) < 0.001
I had it for moments	211 (66.1)	108 (33.9)	1.23 (0.96–1.57) 0.094	1.15 (0.79–1.69) 0.471
Type of job				
In person	700 (69.4)	308 (30.6)	Comparison category	Did not enter the model
Remote	196 (71.3)	79 (28.7)	0.94 (0.62–1.42) 0.770	Did not enter the model
Hybrid	407 (71.2)	165 (28.8)	0.94 (0.74–1.21) 0.648	Did not enter the model
Type of work you do				
Administrative	543 (68.6)	249 (31.4)	Comparison category	Did not enter the model
Operator	760 (71.5)	303 (28.5)	0.91 (0.75–1.10) 0.322	Did not enter the model

Prevalence ratios, 95% confidence intervals (95% CI) and *p*-values were obtained with generalized linear models (Poisson family, log link function, models for robust variances, and adjusted for the city where they lived). The age variable was analyzed quantitatively.

In the multivariate model, moderate or severe stress was associated with having had job insecurity (PRa: 1.77; 95% CI: 1.41–2.22; *p*-value < 0.001) and, compared to the mining sector, secondary school teachers (PRa: 2.61; 95% CI: 1.27–5.36; *p*-value = 0.009), doctors (RPa: 2.78; 95% CI: 1.64–4.70; *p*-value < 0.001), and nurses (RPa: 2.32; 95% CI: 1.44–3.72; *p*-value = 0.001); this was adjusted for sex and the city where they resided (Table 4).

Table 4. Bivariate analysis of socio-labor factors associated with moderate or major stress in Peruvian workers during the pandemic.

Variable	Presence of Moderate or Severe Stress		Prevalence Ratio (IC 95%) <i>p</i> -Value	
	No, N (%)	Yes, N (%)	Raw (Bivariate)	Adjusted (Multivariate)
Job insecurity				
No	1098 (88.5)	143 (11.5)	Comparison category	Comparison category
Yes	499 (81.3)	115 (18.7)	1.63 (1.26–2.10) < 0.001	1.77 (1.41–2.22) <0.001
Labor category				
Miner	138 (90.8)	14 (9.2)	Comparison category	Comparison category
Municipality	193 (90.6)	20 (9.4)	1.02 (0.54–1.93) 0.953	0.90 (0.53–1.53) 0.693
Police officer	105 (91.3)	10 (8.7)	0.94 (0.26–3.43) 0.930	1.01 (0.29–3.44) 0.990
Military	103 (92.8)	8 (7.2)	0.78 (0.44–1.39) 0.405	0.87 (0.50–1.50) 0.606
Primary school teacher	158 (84.0)	30 (16.0)	1.73 (0.72–4.16) 0.219	1.80 (0.79–4.10) 0.160
High school teacher	105 (75.5)	43 (24.5)	2.66 (1.22–5.80) 0.014	2.61 (1.27–5.36) 0.009
Store	180 (87.4)	26 (12.6)	1.37 (0.71–2.63) 0.344	1.23 (0.66–2.27) 0.513
Street vendor	74 (86.1)	12 (14.9)	1.51 (0.91–2.53) 0.112	1.24 (0.73–2.10) 0.435
Transportation	68 (90.7)	7 (9.3)	1.01 (0.61–1.68) 0.959	0.91 (0.53–1.56) 0.725
Guard	83 (84.7)	15 (15.3)	1.66 (0.85–3.25) 0.138	1.38 (0.68–2.83) 0.373
Legal	90 (83.3)	18 (16.7)	1.81 (0.86–3.80) 0.117	1.83 (0.90–3.70) 0.094
Doctor	59 (75.6)	19 (24.4)	2.64 (1.46–4.78) 0.001	2.78 (1.64–4.70) < 0.001
Nurse	106 (77.9)	30 (22.1)	2.39 (1.47–3.91) < 0.001	2.32 (1.44–3.72) 0.001
Other healthcare professional	135 (90.0)	15 (10.0)	1.09 (0.70–1.68) 0.713	1.03 (0.62–1.69) 0.923
Sex				
Female	921 (87.6)	130 (13.4)	Comparison category	Comparison category
Male	676 (84.1)	128 (15.9)	1.29 (1.02–1.63) 0.034	1.18 (1.00–1.40) 0.051
Age (years)	34 (27–44)	34 (27–44)	1.00 (0.99–1.01) 0.921	Did not enter the model
Work during the pandemic				
I always had	1221 (86.8)	186 (13.2)	Comparison category	Did not enter the model
I got fired	105 (81.4)	24 (18.6)	1.41 (0.77–2.56) 0.262	Did not enter the model
I had it for moments	271 (85.0)	48 (15.0)	1.14 (0.76–1.70) 0.528	Did not enter the model
Type of job				
In person	880 (87.3)	128 (12.7)	Comparison category	Did not enter the model
Remote	226 (82.2)	49 (17.8)	1.40 (0.82–2.40) 0.214	Did not enter the model
Hybrid	491 (85.8)	81 (14.2)	1.12 (0.78–1.59) 0.546	Did not enter the model
Type of work you do				
Administrative	676 (85.4)	116 (14.6)	Comparison category	Did not enter the model
Operator	921 (86.6)	142 (13.4)	0.91 (0.78–1.08) 0.263	Did not enter the model

Prevalence ratios, 95% confidence intervals (95% CI), and *p*-values were obtained with generalized linear models (Poisson family, log link function, models for robust variances, and adjustment for the city of residence). The age variable was analyzed quantitatively.

4. Discussion

Job insecurity was strongly associated with the three mental pathologies evaluated (the *p*-value showed an influential association). Of those surveyed, 33% were classified as having job insecurity, 14% had moderate or higher levels of stress, 30% had anxiety, and 16% had depression. The professions with the highest job insecurity were security guards (62%), transportation workers (51%) and street vendors (50%). Meanwhile, the professions with the lowest job insecurity were policemen with 17%, the military with 18%, and medical doctors with 19%. These results were congruent with those of Owen et al. in Wales, who determined that 75% of the workers had mental health and job insecurity due to personnel changes during the pandemic [96]. Xiao et al. in China found that inadequate mental health and job loss were related to the pandemic [9]. Moretti et al. identified in 51 workers in Naples, Italy, a relationship between mental health and job insecurity ($p < 0.05$) [97]. At the Latin American level, Castañeda et al. established in Colombia that job security

significantly affects patients' mental health [98]. Similarly, in Peru, De la Cruz established a significant association between emotions and the level of job satisfaction in supermarket workers [99]. In addition, Guillen determined in workers of the Chancay hospital that there was no significant association between perception of job insecurity and mental health variables such as depression, anxiety, and stress, and only after multivariate analysis was a slight association shown between depression and anxiety [100].

Our results indicate that greater stress was associated with having job insecurity (RPa: 1.77; 95% CI: 1.41–2.22; value $p < 0.001$) with the following professions being the most affected: high school teachers, medical doctors and nurses. Moderate to major depression was associated with having had job insecurity (RPa: 1.71; 95% CI: 1.51–1.94; $p < 0.001$) and having been fired during the pandemic (RPa: 1.63; 95% CI: 1.17–2.28; $p = 0.004$), with the following eight professions being the most affected: municipal workers (RPa: 2.59; 95% CI: 1.15–5.86; $p = 0.022$), primary school teachers (Rpa: 4.26; 95% CI: 1.48–12.21; p value = 0.007), street vendors (Rpa: 3.11; 95% CI: 1.33–7.32; p value = 0.009), transportation workers (Rpa: 3.28; 95% CI: 1.35–7.97; p value = 0.009), security guards (Rpa: 2.84; 95% CI: 1.47–5.49; p value = 0.002), lawyers and legal workers (Rpa: 2.90; CI 95%: 1.05–7.96; value $p = 0.039$), nurses (Rpa: 3.85; CI 95%: 1.59–9.31; value $p = 0.003$) and other healthcare professionals (Rpa: 2.92; 95% CI: 1.29–6.59; p value = 0.010). These professions also experienced moderate or greater anxiety with job insecurity (Rpa: 1.43; 95% CI: 1.25–1.64; p value < 0.001) if they were laid off during the pandemic (Rpa: 1.58; 95% CI: 1.27–1.98; p -value < 0.001). Anxiety was associated with being male and having been laid off, while stress was associated with three professions: secondary school teachers (Rpa: 2.61; 95% CI: 1.27–5.36; p value = 0.009), medical doctors (Rpa: 2.78; 95% CI: 1.64–4.70; p value < 0.001), and nurses (RPa: 2.32; 95% CI: 1.44–3.72; $p = 0.001$). Therefore, it was possible to corroborate that there is a close relationship between job insecurity and mental health due to the fact that during the pandemic, they lost their jobs. It could be corroborated that there is a close relationship between labor conditions and mental health because, during the pandemic, various jobs were lost, and some disorders such as anxiety, excessive stress, and depression were increased [95,99]. This, together with other problems that originated during the COVID-19 pandemic, had a very significant impact in several areas of human well-being such as health, social, economic, political, labor, etc. [95,99]. In the current study, it was observed that of the 1855 workers surveyed, 30% had moderate or severe levels of anxiety, 16% had depression, and 14% had stress, and men experienced more anxiety than women with 35.7% of men and women with 25.2% experiencing anxiety ($p < 0.001$). Similar results were found by Owen et al., who determined that oral health workers during the pandemic generated high-stress levels (82%) [96]. Oteir et al. identified in Jordan that 122 workers had severe symptoms of anxiety (30%) and depression (35%) [101]. Song et al. established in China that in workers who worked during the pandemic, the following frequencies were reported: anxiety (13%) and depression (14%) [102]. Xiao et al. [9] determined that in China there were anxiety (54%) and depression (58%). Moretti et al. identified in Naples, Italy, that (39%) were stressed and (24%) had excessive workload [97].

At the Latin American level, Castro et al. determined in Chile that (15%) were insecure due to aggravating or triggering mental health illnesses [103]. In Peru, Lovón and Chegne identified in Peruvian workers that the most frequent alterations in mental health were stress, anxiety disorders, and depressive disorders [104]. Aldazabal determined in a hospital in Lima that mental health was affected, obtaining the following stress frequencies: low (47%), medium (42%), and high (11%) [105]. Román determined that the main conditions during the pandemic in workers were: mild work stress (34%), burnout syndrome (76%), anxiety (70%), and exhaustion (66%) [106]. Healthcare professionals have been reported to be the most affected during the pandemic, with oral health workers with high levels of stress [96] and first-line health workers presenting anxiety and depression [101].

In Peru, mental health effects have been reported in hospital workers [100] as well as teachers, food service, and health workers [104]. Rodríguez [107] established differences in workers who worked during the pandemic regarding their mental health, the most

affected the ones working in basic activities such as commerce, teachers, and healthcare. Acuña [108] identified in workers of a municipality that job insecurity generated moderate levels of stress during the pandemic, while Aldazabal [105] determined that healthcare personnel presented high levels of stress and anxiety, and De la Cruz established that supermarket workers presented anxiety and excessive stress [99].

Limitations

Among the limitations of the study, the type of sampling was non-probabilistic, and probabilistic types have greater inferential capacity. However, due to the situation experienced during the pandemic, it was difficult to collect data. Thus, this sampling was selected for the current study. Second, although the instruments were validated, mental health specialists should corroborate the definitive diagnoses.

5. Conclusions

A relationship between job security and mental health status was observed in workers of Peru during the COVID-19 pandemic. Depression was associated with having been fired during the pandemic and associated with eight professions. Anxiety was associated with been a man and having been fired, while stress was associated with three professions. There is a clear association between having job insecurity and suffering from the three mental pathologies evaluated, which highlights the importance of assessing the mental impact.

Author Contributions: Conceptualization, N.P.-R., J.G.-L., O.M.-B., M.A.V.-E., V.S.-A. and C.R.M.; methodology, N.P.-R., J.G.-L., O.M.-B., M.A.V.-E., V.S.-A. and C.R.M.; validation, N.P.-R., J.G.-L., O.M.-B., M.A.V.-E., V.S.-A. and C.R.M.; formal analysis, N.P.-R., J.G.-L., O.M.-B., M.A.V.-E., V.S.-A. and C.R.M.; investigation, N.P.-R., J.G.-L., O.M.-B., M.A.V.-E., V.S.-A. and C.R.M.; data curation, N.P.-R., J.G.-L., O.M.-B., M.A.V.-E., V.S.-A. and C.R.M.; writing—original draft preparation, N.P.-R., J.G.-L., O.M.-B., M.A.V.-E., V.S.-A., C.R.M., A.A.-R., S.D.-A.-A. and J.A.Y.; writing—review and editing, N.P.-R., J.G.-L., O.M.-B., M.A.V.-E., V.S.-A., C.R.M., A.A.-R., S.D.-A.-A. and J.A.Y.; visualization, N.P.-R., J.G.-L., O.M.-B., M.A.V.-E., V.S.-A., C.R.M., A.A.-R., S.D.-A.-A. and J.A.Y. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Institutional Review Board Statement: The primary research was evaluated by the ethics committee of the Universidad Privada Antenor Orrego (UPAO) (N 0049-2022-UPAO).

Informed Consent Statement: All the survey participants were well versed on the study intentions and were required to consent before enrollment.

Data Availability Statement: The data presented in this study are available on request from the corresponding author.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Sun, C.; Zhai, Z. The efficacy of social distance and ventilation effectiveness in preventing COVID-19 transmission. *Sustain. Cities Soc.* **2020**, *62*, 102390. [\[CrossRef\]](#) [\[PubMed\]](#)
2. Vokó, Z.; Pitter, J.G. The effect of social distance measures on COVID-19 epidemics in Europe: An interrupted time series analysis. *GeroScience* **2020**, *42*, 1075–1082. [\[CrossRef\]](#) [\[PubMed\]](#)
3. Olivera-La Rosa, A.; Chuquichambi, E.G.; Ingram, G.P.D. Keep your (social) distance: Pathogen concerns and social perception in the time of COVID-19. *Personal. Individ. Differ.* **2020**, *166*, 110200. [\[CrossRef\]](#)
4. Hwang, T.-J.; Rabheru, K.; Peisah, C.; Reichman, W.; Ikeda, M. Loneliness and social isolation during the COVID-19 pandemic. *Int. Psychogeriatr.* **2020**, *32*, 1217–1220. [\[CrossRef\]](#)
5. Pietrabissa, G.; Simpson, S.G. Psychological Consequences of Social Isolation During COVID-19 Outbreak. *Front. Psychol.* **2020**, *11*, 2201. [\[CrossRef\]](#) [\[PubMed\]](#)
6. Hamza, C.A.; Ewing, L.; Heath, N.L.; Goldstein, A.L. When social isolation is nothing new: A longitudinal study on psychological distress during COVID-19 among university students with and without preexisting mental health concerns. *Can. Psychol. Psychol. Can.* **2021**, *62*, 20–30. [\[CrossRef\]](#)

7. Leal Filho, W.; Wall, T.; Rayman-Bacchus, L.; Mifsud, M.; Pritchard, D.J.; Lovren, V.O.; Farinha, C.; Petrovic, D.S.; Balogun, A.-L. Impacts of COVID-19 and social isolation on academic staff and students at universities: A cross-sectional study. *BMC Public Health* **2021**, *21*, 1213. [\[CrossRef\]](#)
8. World Health Organization. Novel Coronavirus (2019-nCoV) Report No.: Situation Report-1. Available online: <https://apps.who.int/iris/handle/10665/330760?locale-attribute=es&> (accessed on 5 May 2022).
9. Xiao, X.; Zhu, X.; Fu, S.; Hu, Y.; Li, X.; Xiao, J. Psychological impact of healthcare workers in China during COVID-19 pneumonia epidemic: A multi-center cross-sectional survey investigation. *J. Affect. Disord.* **2020**, *274*, 405–410. [\[CrossRef\]](#)
10. Kola, L.; Kohrt, B.A.; Hanlon, C.; Naslund, J.A.; Sikander, S.; Balaji, M.; Benjet, C.; Cheung, E.Y.L.; Eaton, J.; Gonsalves, P.; et al. COVID-19 mental health impact and responses in low-income and middle-income countries: Reimagining global mental health. *Lancet Psychiatry* **2021**, *8*, 535–550. [\[CrossRef\]](#)
11. Panchal, U.; Salazar de Pablo, G.; Franco, M.; Moreno, C.; Parellada, M.; Arango, C.; Fusar-Poli, P. The impact of COVID-19 lockdown on child and adolescent mental health: Systematic review. *Eur. Child Adolesc. Psychiatry* **2021**, 1–27. [\[CrossRef\]](#)
12. Yan, J.; Kim, S.; Zhang, S.X.; Foo, M.-D.; Alvarez-Risco, A.; Del-Aguila-Arcentales, S.; Yáñez, J.A. Hospitality workers' COVID-19 risk perception and depression: A contingent model based on transactional theory of stress model. *Int. J. Hosp. Manag.* **2021**, *95*, 102935. [\[CrossRef\]](#)
13. Gundogmus, I.; Bolu, A.; Unsal, C.; Alma, L.; Gundogmus, P.D.; Takmaz, T.; Okten, S.B.; Gunduz, A.; Aydin, M.S. Impact of the first, second and third peak of the COVID-19 pandemic on anxiety, depression and stress symptoms of healthcare workers. *Bratisl Lek Listy* **2022**, *123*, 833–839. [\[CrossRef\]](#) [\[PubMed\]](#)
14. Bai, M.S.; Miao, C.Y.; Zhang, Y.; Xue, Y.; Jia, F.Y.; Du, L. COVID-19 and mental health disorders in children and adolescents (Review). *Psychiatry Res.* **2022**, *317*, 114881. [\[CrossRef\]](#)
15. Fruehwirth, J.C.; Biswas, S.; Perreira, K.M. The COVID-19 pandemic and mental health of first-year college students: Examining the effect of COVID-19 stressors using longitudinal data. *PLoS ONE* **2021**, *16*, e0247999. [\[CrossRef\]](#) [\[PubMed\]](#)
16. Kim, A.W.; Nyengerai, T.; Mendenhall, E. Evaluating the mental health impacts of the COVID-19 pandemic: Perceived risk of COVID-19 infection and childhood trauma predict adult depressive symptoms in urban South Africa. *Psychol. Med.* **2022**, *52*, 1587–1599. [\[CrossRef\]](#)
17. Wilbiks, J.M.P.; Best, L.A.; Law, M.A.; Roach, S.P. Evaluating the mental health and well-being of Canadian healthcare workers during the COVID-19 outbreak. *Healthc. Manag. Forum* **2021**, *34*, 205–210. [\[CrossRef\]](#)
18. Botha, F.; Butterworth, P.; Wilkins, R. Evaluating How Mental Health Changed in Australia through the COVID-19 Pandemic: Findings from the 'Taking the Pulse of the Nation' (TTPN) Survey. *Int. J. Environ. Res. Public Health* **2022**, *19*, 558. [\[CrossRef\]](#)
19. Lugo-Marín, J.; Gisbert-Gustemps, L.; Setien-Ramos, I.; Español-Martín, G.; Ibañez-Jimenez, P.; Forner-Puntonet, M.; Arteaga-Henríquez, G.; Soriano-Día, A.; Duque-Yemail, J.D.; Ramos-Quiroga, J.A. COVID-19 pandemic effects in people with Autism Spectrum Disorder and their caregivers: Evaluation of social distancing and lockdown impact on mental health and general status. *Res. Autism Spectr. Disord.* **2021**, *83*, 101757. [\[CrossRef\]](#)
20. Alnaeem, M.M.; Hamdan-Mansour, A.M.; Nashwan, A.J.; Abuatallah, A.; Al-Hussami, M. Healthcare providers' intention to leave their jobs during COVID-19 pandemic: A cross-sectional study. *Health Sci. Rep.* **2022**, *5*, e859. [\[CrossRef\]](#)
21. Leider, J.P.; Shah, G.H.; Yeager, V.A.; Yin, J.; Madamala, K. Turnover, COVID-19, and Reasons for Leaving and Staying Within Governmental Public Health. *J. Public Health Manag. Pract.* **2022**. [\[CrossRef\]](#)
22. Gillani, A.; Dierst-Davies, R.; Lee, S.; Robin, L.; Li, J.; Glover-Kudon, R.; Baker, K.; Whitton, A. Teachers' dissatisfaction during the COVID-19 pandemic: Factors contributing to a desire to leave the profession. *Front. Psychol.* **2022**, *13*, 940718. [\[CrossRef\]](#) [\[PubMed\]](#)
23. Echeverría Ibazeta, R.R.; Sueyoshi Hernandez, J.H. Epidemiological situation of COVID-19 in South America. *Rev. Fac. Med. Hum.* **2020**, *20*, 521–523.
24. Schwalb, A.; Armyra, E.; Méndez-Aranda, M.; Ugarte-Gil, C. COVID-19 in Latin America and the Caribbean: Two years of the pandemic. *J. Intern. Med.* **2022**, *292*, 409–427. [\[CrossRef\]](#) [\[PubMed\]](#)
25. Ramírez, J.D.; Sordillo, E.M.; Gotuzzo, E.; Zavaleta, C.; Caplivski, D.; Navarro, J.C.; Crainey, J.L.; Bessa Luz, S.L.; Noguera, L.A.D.; Schaub, R.; et al. SARS-CoV-2 in the Amazon region: A harbinger of doom for Amerindians. *PLoS Negl. Trop. Dis.* **2020**, *14*, e0008686. [\[CrossRef\]](#) [\[PubMed\]](#)
26. Yáñez, J.A.; Alvarez-Risco, A.; Delgado-Zegarra, J. COVID-19 in Peru: From supervised walks for children to the first case of Kawasaki-like syndrome. *BMJ Clin. Res. Ed* **2020**, *369*, m2418. [\[CrossRef\]](#) [\[PubMed\]](#)
27. Dubé, E.; MacDonald, S.E.; Manca, T.; Bettinger, J.A.; Driedger, S.M.; Graham, J.; Greyson, D.; MacDonald, N.E.; Meyer, S.; Roch, G.; et al. Understanding the Influence of Web-Based Information, Misinformation, Disinformation, and Reinforcement on COVID-19 Vaccine Acceptance: Protocol for a Multicomponent Study. *JMIR Res. Protoc.* **2022**, *11*, e41012. [\[CrossRef\]](#)
28. Erokhin, D.; Yosipof, A.; Komendantova, N. COVID-19 Conspiracy Theories Discussion on Twitter. *Soc. Media Soc.* **2022**, *8*, 20563051221126051. [\[CrossRef\]](#)
29. Alvarez-Risco, A.; Del-Aguila-Arcentales, S.; Yáñez, J.A.; Rosen, M.A.; Mejia, C.R. Influence of Technostress on Academic Performance of University Medicine Students in Peru during the COVID-19 Pandemic. *Sustainability* **2021**, *13*, 8949. [\[CrossRef\]](#)
30. Li, S.; Fan, L. Media multitasking, depression, and anxiety of college students: Serial mediating effects of attention control and negative information attentional bias. *Front. Psychiatry* **2022**, *13*, 989201. [\[CrossRef\]](#)

31. Ullah, F.; Harrigan, N.M. A natural experiment in social security as public health measure: Experiences of international students as temporary migrant workers during two Covid-19 lockdowns. *Soc. Sci. Med.* **1982**, *313*, 115196. [\[CrossRef\]](#)
32. Arigbede, O.M.; Aladeniyi, O.B.; Buxbaum, S.G.; Arigbede, O.J. The Use of Five Public Health Themes in Understanding the Roles of Misinformation and Education Toward Disparities in Racial and Ethnic Distribution of COVID-19. *Cureus* **2022**, *14*, e30008. [\[CrossRef\]](#) [\[PubMed\]](#)
33. Petrova, D.; Salamanca-Fernández, E.; Rodríguez Barranco, M.; Navarro Pérez, P.; Jiménez Moleón, J.J.; Sánchez, M.-J. La obesidad como factor de riesgo en personas con COVID-19: Posibles mecanismos e implicaciones. *Aten. Primaria* **2020**, *52*, 496–500. [\[CrossRef\]](#) [\[PubMed\]](#)
34. Li, Q.; Xu, L.; Wang, Y.; Zhu, Y.; Huang, Y. Exploring the self-care practices of social workers in China under the COVID-19 pandemic. *Asian Soc. Work Policy Rev.* **2022**. [\[CrossRef\]](#) [\[PubMed\]](#)
35. Caplan, A.L.; Waldstreicher, J.; Childers, K.; Maree, A. Drugs of unproven benefit for COVID-19: A pharma perspective on ethical allocation of available therapies. *J. Clin. Investig.* **2020**, *130*, 5622–5623. [\[CrossRef\]](#)
36. Villena-Tejada, M.; Vera-Ferchau, I.; Cardona-Rivero, A.; Zamalloa-Cornejo, R.; Quispe-Florez, M.; Frisancho-Triveño, Z.; Abarca-Meléndez, R.C.; Alvarez-Sucari, S.G.; Mejia, C.R.; Yáñez, J.A. Use of medicinal plants for COVID-19 prevention and respiratory symptom treatment during the pandemic in Cusco, Peru: A cross-sectional survey. *PLoS ONE* **2021**, *16*, e0257165. [\[CrossRef\]](#) [\[PubMed\]](#)
37. Chong, H.; Xi, Y.; Zhou, Y.; Wang, G. Protective effects of chlorogenic acid on isoflurane-induced cognitive impairment of aged mice. *Food Sci. Nutr.* **2022**, *10*, 3492–3500. [\[CrossRef\]](#)
38. Yáñez, J.A.; Miranda, N.D.; Remsberg, C.M.; Ohgami, Y.; Davies, N.M. Stereospecific high-performance liquid chromatographic analysis of eriodictyol in urine. *J. Pharm. Biomed. Anal.* **2007**, *43*, 255–262. [\[CrossRef\]](#)
39. Vega-Villa, K.R.; Remsberg, C.M.; Ohgami, Y.; Yanez, J.A.; Takemoto, J.K.; Andrews, P.K.; Davies, N.M. Stereospecific high-performance liquid chromatography of taxifolin, applications in pharmacokinetics, and determination in tu fu ling (*Rhizoma smilacis glabrae*) and apple (*Malus x domestica*). *Biomed. Chromatogr.* **2009**, *23*, 638–646. [\[CrossRef\]](#)
40. Ramos-Escudero, F.; Santos-Buelga, C.; Pérez-Alonso, J.J.; Yáñez, J.A.; Dueñas, M. HPLC-DAD-ESI/MS identification of anthocyanins in *Dioscorea trifida* L. yam tubers (purple sachapapa). *Eur. Food Res. Technol.* **2010**, *230*, 745–752. [\[CrossRef\]](#)
41. Roupe, K.A.; Helms, G.L.; Halls, S.C.; Yanez, J.A.; Davies, N.M. Preparative enzymatic synthesis and HPLC analysis of rhapontigenin: Applications to metabolism, pharmacokinetics and anti-cancer studies. *J. Pharm. Pharm. Sci.* **2005**, *8*, 374–386.
42. Yáñez, J.A.; Remsberg, C.M.; Takemoto, J.K.; Vega-Villa, K.R.; Andrews, P.K.; Sayre, C.L.; Martinez, S.E.; Davies, N.M. Polyphenols and Flavonoids: An Overview. In *Flavonoid Pharmacokinetics: Methods of Analysis, Preclinical and Clinical Pharmacokinetics, Safety, and Toxicology*; Davies, N.M., Yáñez, J.A., Eds.; John Wiley & Sons: Hoboken, NJ, USA, 2012; pp. 1–69.
43. Bonin, A.M.; Yáñez, J.A.; Fukuda, C.; Teng, X.W.; Dillon, C.T.; Hambley, T.W.; Lay, P.A.; Davies, N.M. Inhibition of experimental colorectal cancer and reduction in renal and gastrointestinal toxicities by copper-indomethacin in rats. *Cancer Chemother. Pharmacol.* **2010**, *66*, 755–764. [\[CrossRef\]](#) [\[PubMed\]](#)
44. Morais, R.A.; Teixeira, G.L.; Ferreira, S.R.S.; Cifuentes, A.; Block, J.M. Nutritional Composition and Bioactive Compounds of Native Brazilian Fruits of the Arecaceae Family and Its Potential Applications for Health Promotion. *Nutrients* **2022**, *14*, 4009. [\[CrossRef\]](#) [\[PubMed\]](#)
45. Carsono, N.; Tumilaar, S.G.; Kurnia, D.; Latipudin, D.; Satari, M.H. A Review of Bioactive Compounds and Antioxidant Activity Properties of Piper Species. *Molecules* **2022**, *27*, 6774. [\[CrossRef\]](#)
46. Xiong, M.P.; Yáñez, J.A.; Kwon, G.S.; Davies, N.M.; Forrest, M.L. A cremophor-free formulation for tanespimycin (17-AAG) using PEO-b-PDLLA micelles: Characterization and pharmacokinetics in rats. *J. Pharm. Sci.* **2009**, *98*, 1577–1586. [\[CrossRef\]](#)
47. Garcia-Oliveira, P.; Carreira-Casais, A.; Pereira, E.; Dias, M.I.; Pereira, C.; Calhella, R.C.; Stojković, D.; Sokovic, M.; Simal-Gandara, J.; Prieto, M.A.; et al. From Tradition to Health: Chemical and Bioactive Characterization of Five Traditional Plants. *Molecules* **2022**, *27*, 6495. [\[CrossRef\]](#) [\[PubMed\]](#)
48. Abed, S.N.; Bibi, S.; Jan, M.; Talha, M.; Islam, N.U.; Zahoor, M.; Al-Joufi, F.A. Phytochemical Composition, Antibacterial, Antioxidant and Antidiabetic Potentials of *Cydonia oblonga* Bark. *Molecules* **2022**, *27*, 6360. [\[CrossRef\]](#)
49. Martin, K.J.; Stanton, A.L.; Johnson, K.L. Current health care experiences, medical trust, and COVID-19 vaccination intention and uptake in Black and White Americans. *Health Psychol. Off. J. Div. Health Psychol. Am. Psychol. Assoc.* **2022**. [\[CrossRef\]](#)
50. Arrieta Vergara, K.M.; Díaz Cárdenas, S.; González Martínez, F. Síntomas de depresión y ansiedad en jóvenes universitarios: Prevalencia y factores relacionados. *Rev. Clínica De Med. De Fam.* **2014**, *7*, 14–22. [\[CrossRef\]](#)
51. Balanza Galindo, S.; Morales Moreno, I.; Guerrero Muñoz, J. Prevalencia de Ansiedad y Depresión en una Población de Estudiantes Universitarios: Factores Académicos y Sociofamiliares Asociados. *Clínica Y Salud* **2009**, *20*, 177–187.
52. Castillo Pimienta, C.; Chacón de la Cruz, T.; Díaz-Véliz, G. Ansiedad y fuentes de estrés académico en estudiantes de carreras de la salud. *Investig. En Educ. Médica* **2016**, *5*, 230–237. [\[CrossRef\]](#)
53. Pereyra-Eliás, R.; Ocampo-Mascaró, J.; Silva-Salazar, V.; Vélez-Segovia, E.; da Costa-Bullón, A.D.; Toro-Polo, L.M.; Vicuña-Ortega, J. Prevalencia y factores asociados con síntomas depresivos en estudiantes de ciencias de la salud de una Universidad privada de Lima, Perú 2010. *Rev. Peru. De Med. Exp. Y Salud Publica* **2010**, *27*, 520–526. [\[CrossRef\]](#) [\[PubMed\]](#)
54. Romero, V.; Cruzado, J.A. Grief, anxiety and depression in relatives of patients in a palliative care unit two months after the loss [Duelo, ansiedad y depresión en familiares de pacientes en una unidad de cuidados paliativos a los dos meses de la pérdida]. *Psicooncología* **2016**, *13*, 23–37. [\[CrossRef\]](#)

55. Vedia Domingo, V. Pathological grief. Risk and protective factors [Duelo patológico. Factores de riesgo y protección]. *Rev. Digit. De Med. Psicosomática Y Psicoter.* **2016**, *6*, 12–34.
56. Larrotta-Castillo, R.; Méndez-Ferreira, A.; Mora-Jaimes, C.; Córdoba-Castañeda, M.; Duque-Moreno, J. Loss, grief and mental health in times of pandemic [Pérdida, duelo y salud mental en tiempos de pandemia]. *Salud UIS* **2020**, *52*, 179–180.
57. McDowell, C.P.; Herring, M.P.; Lansing, J.; Brower, C.S.; Meyer, J.D. Associations Between Employment Changes and Mental Health: US Data From During the COVID-19 Pandemic. *Front. Psychol.* **2021**, *12*, 631510. [\[CrossRef\]](#)
58. Posel, D.; Oyenu, A.; Kollamparambil, U. Job loss and mental health during the COVID-19 lockdown: Evidence from South Africa. *PLoS ONE* **2021**, *16*, e0249352. [\[CrossRef\]](#)
59. Terán-Pérez, G.; Portillo-Vásquez, A.; Arana-Lechuga, Y.; Sánchez-Escandón, O.; Mercadillo-Caballero, R.; González-Robles, R.O.; Velázquez-Moctezuma, J. Sleep and Mental Health Disturbances Due to Social Isolation during the COVID-19 Pandemic in Mexico. *Int. J. Environ. Res. Public Health* **2021**, *18*, 2804. [\[CrossRef\]](#) [\[PubMed\]](#)
60. Suárez-González, A.; Rajagopalan, J.; Livingston, G.; Alladi, S. The effect of COVID-19 isolation measures on the cognition and mental health of people living with dementia: A rapid systematic review of one year of quantitative evidence. *E Clinical Medicine* **2021**, *39*, 101047. [\[CrossRef\]](#)
61. Cosco, T.D.; Fortuna, K.; Wister, A.; Riadi, I.; Wagner, K.; Sixsmith, A. COVID-19, Social Isolation, and Mental Health Among Older Adults: A Digital Catch-22. *J. Med. Internet Res.* **2021**, *23*, e21864. [\[CrossRef\]](#)
62. Pellicano, E.; Brett, S.; den Houting, J.; Heyworth, M.; Magiati, I.; Steward, R.; Urbanowicz, A.; Stears, M. COVID-19, social isolation and the mental health of autistic people and their families: A qualitative study. *Autism* **2021**, *26*, 914–927. [\[CrossRef\]](#)
63. Wilson, J.M.; Lee, J.; Fitzgerald, H.N.; Oosterhoff, B.; Sevi, B.; Shook, N.J. Job Insecurity and Financial Concern During the COVID-19 Pandemic Are Associated With Worse Mental Health. *J. Occup. Environ. Med.* **2020**, *62*, 686–691. [\[CrossRef\]](#)
64. Ganson, K.T.; Tsai, A.C.; Weiser, S.D.; Benabou, S.E.; Nagata, J.M. Job Insecurity and Symptoms of Anxiety and Depression Among U.S. Young Adults During COVID-19. *J. Adolesc. Health* **2021**, *68*, 53–56. [\[CrossRef\]](#) [\[PubMed\]](#)
65. Abbas, M.; Malik, M.; Sarwat, N. Consequences of job insecurity for hospitality workers amid COVID-19 pandemic: Does social support help? *J. Hosp. Mark. Manag.* **2021**, *30*, 957–981. [\[CrossRef\]](#)
66. OIT. OIT: El COVID-19 Destruye el Equivalente a 14 Millones de Empleos y Desafía a Buscar Medidas Para Enfrentar la Crisis en América Latina y el Caribe [ILO: COVID-19 Destroys the Equivalent of 14 Million Jobs and Challenges the Search for Measures to Face the Crisis in Latin America and the Caribbean]. Available online: http://www.ilo.org/americas/sala-de-prensa/WCMS_741222/lang-es/index.html (accessed on 8 August 2022).
67. OIT. OIT: COVID-19 y el Mundo del Trabajo [ILO. COVID-19 and the World of Work]. Available online: <https://www.ilo.org/global/topics/coronavirus/lang-es/index.html> (accessed on 8 August 2022).
68. Shafi, M.; Liu, J.; Ren, W. Impact of COVID-19 pandemic on micro, small, and medium-sized Enterprises operating in Pakistan. *Res. Glob.* **2020**, *2*, 100018. [\[CrossRef\]](#)
69. Soriano, V.; Corral, O. Keeping alive enterprises while embracing unprecedented COVID-19 restrictions. *Adv. Infect Dis.* **2020**, *7*, 1–2. [\[CrossRef\]](#)
70. Beiderbeck, D.; Frevel, N.; von der Gracht, H.A.; Schmidt, S.L.; Schweitzer, V.M. The impact of COVID-19 on the European football ecosystem—A Delphi-based scenario analysis. *Technol. Forecast. Soc. Change* **2021**, *165*, 120577. [\[CrossRef\]](#)
71. Cuc, L.D.; Feher, A.; Cuc, P.N.; Szentesi, S.G.; Rad, D.; Rad, G.; Pantea, M.F.; Joldes, C.S.R. A Parallel Mediation Analysis on the Effects of Pandemic Accentuated Occupational Stress on Hospitality Industry Staff Turnover Intentions in COVID-19 Context. *Int. J. Environ. Res. Public Health* **2022**, *19*, 12050. [\[CrossRef\]](#)
72. Teoh, B.E.W.; Wider, W.; Saad, A.; Sam, T.H.; Vasudevan, A.; Lajuma, S. The effects of transformational leadership dimensions on employee performance in the hospitality industry in Malaysia. *Front. Psychol.* **2022**, *13*, 913773. [\[CrossRef\]](#)
73. Quinn, E.L.; Stover, B.; Otten, J.J.; Seixas, N. Early Care and Education Workers’ Experience and Stress during the COVID-19 Pandemic. *Int. J. Environ. Res. Public Health* **2022**, *19*, 2670. [\[CrossRef\]](#)
74. Alvarez-Risco, A.; Del-Aguila-Arcentales, S.; Yanez, J.A. Telemedicine in Peru as a Result of the COVID-19 Pandemic: Perspective from a Country with Limited Internet Access. *Am. J. Trop. Med. Hyg.* **2021**, *105*, 6–11. [\[CrossRef\]](#)
75. Shooshtarian, S.; Caldera, S.; Maqsood, T.; Ryley, T. Evaluating the COVID-19 impacts on the construction and demolition waste management and resource recovery industry: Experience from the Australian built environment sector. *Clean Technol. Environ. Policy* **2022**, 1–14. [\[CrossRef\]](#) [\[PubMed\]](#)
76. Saidani, M.; Cluzel, F.; Yannou, B.; Kim, H. Circular economy as a key for industrial value chain resilience in a post-COVID world: What do future engineers think? *Procedia CIRP* **2021**, *103*, 26–31. [\[CrossRef\]](#) [\[PubMed\]](#)
77. Otrachshenko, V.; Popova, O.; Nikolova, M.; Tyurina, E. COVID-19 and entrepreneurship entry and exit: Opportunity amidst adversity. *Technol. Soc.* **2022**, *71*, 102093. [\[CrossRef\]](#) [\[PubMed\]](#)
78. Chatterjee, S.; Chaudhuri, R.; Vrontis, D. Role of fake news and misinformation in supply chain disruption: Impact of technology competency as moderator. *Ann. Oper. Res.* **2022**, 1–24. [\[CrossRef\]](#)
79. Evans, D.J.R. Has pedagogy, technology, and COVID-19 killed the face-to-face lecture? *Anat. Sci. Educ.* **2022**. [\[CrossRef\]](#)
80. Rondón, M.B. Salud mental: Un problema de salud pública en el Perú. *Rev. Peru. De Med. Exp. Y Salud Publica* **2006**, *23*, 237–238.
81. WHO. Depression. Available online: <https://www.who.int/news-room/fact-sheets/detail/depression> (accessed on 3 March 2022).
82. Reyes, A. Trastornos de Ansiedad Guía Práctica Para Diagnóstico y Tratamiento. Available online: <http://www.bvs.hn/Honduras/pdf/TrastornoAnsiedad.pdf> (accessed on 2 February 2022).

83. WHO. Mental Disorders. Available online: <https://www.who.int/news-room/fact-sheets/detail/mental-disorders> (accessed on 1 March 2022).
84. Ciminelli, G.; Garcia-Mandicó, S. COVID-19 in Italy: An Analysis of Death Registry Data. *J. Public Health* **2020**, *42*, 723–730. [CrossRef]
85. Hoseinpour Dehkordi, A.; Alizadeh, M.; Derakhshan, P.; Babazadeh, P.; Jahandideh, A. Understanding epidemic data and statistics: A case study of COVID-19. *J. Med. Virol.* **2020**, *92*, 868–882. [CrossRef]
86. Weinberger, D.M.; Chen, J.; Cohen, T.; Crawford, F.W.; Mostashari, F.; Olson, D.; Pitzer, V.E.; Reich, N.G.; Russi, M.; Simonsen, L.; et al. Estimation of Excess Deaths Associated With the COVID-19 Pandemic in the United States, March to May 2020. *JAMA Intern. Med.* **2020**, *180*, 1336–1344. [CrossRef]
87. Koh, H.K.; Geller, A.C.; VanderWeele, T.J. Deaths From COVID-19. *JAMA* **2021**, *325*, 133–134. [CrossRef]
88. CPI. Perú: Población 2022. Available online: <https://cpi.pe/images/upload/paginaweb/archivo/23/poblacion%202022.pdf> (accessed on 20 September 2022).
89. González-Rivera, J.A.; Pagán-Torres, O.M.; Pérez-Torres, E.M. Depression, Anxiety and Stress Scales (DASS-21): Construct Validity Problem in Hispanics. *Eur. J. Investig. Health Psychol. Educ.* **2020**, *10*, 375–389. [CrossRef] [PubMed]
90. Zanon, C.; Brenner, R.E.; Baptista, M.N.; Vogel, D.L.; Rubin, M.; Al-Darmaki, F.R.; Gonçalves, M.; Heath, P.J.; Liao, H.-Y.; Mackenzie, C.S.; et al. Examining the Dimensionality, Reliability, and Invariance of the Depression, Anxiety, and Stress Scale–21 (DASS-21) Across Eight Countries. *Assessment* **2020**, *28*, 1531–1544. [CrossRef] [PubMed]
91. Lagos San Martín, N.; Ossa Cornejo, C.; Palma Luengo, M.; Arriagada Allaire, C. Autopercepción de desarrollo emocional de los estudiantes secundarios de la región de Ñuble, Chile [Self-perception of emotional development of high school students in the Ñuble region, Chile]. *Rev. De Estud. Y Exp. En Educ.* **2020**, *19*, 17–27.
92. Sandoval, K.D.; Morote-Jayacc, P.V.; Moreno-Molina, M.; Taype-Rondan, A. Depresión, estrés y ansiedad en estudiantes de Medicina humana de Ayacucho (Perú) en el contexto de la pandemia por COVID-19 [Depression, stress and anxiety in human medicine students from Ayacucho (Peru) in the context of the COVID-19 pandemic]. *Rev. Colomb. De Psiquiatr.* **2021**. [CrossRef]
93. Olarte-Durand, M.; Roque-Aycachi, J.B.; Rojas-Humpire, R.; Canaza-Apaza, J.F.; Laureano, S.; Rojas-Humpire, A.; Huancahuire-Vega, S. Mood and Sleep Quality in Peruvian Medical Students During COVID-19 Pandemic. *Rev. Colomb. De Psiquiatr.* **2021**. [CrossRef]
94. Davila-Torres, D.M.; Vilcas-Solís, G.E.; Rodríguez-Vásquez, M.; Calizaya-Milla, Y.E.; Saintila, J. Eating habits and mental health among rugby players of the Peruvian pre-selection during the second quarantine due to the COVID-19 pandemic. *SAGE Open Med.* **2021**, *9*, 1–9. [CrossRef] [PubMed]
95. Mamani-Benito, Ó.; Apaza Tarqui, E.E.; Carranza Esteban, R.F.; Rodríguez-Alarcón, J.F.; Mejía, C.R. Inseguridad laboral en el empleo percibida ante el impacto del COVID-19: Validación de un instrumento en trabajadores peruanos (LABOR-PE-COVID-19) [Perceived job insecurity in employment due to the impact of COVID-19: Validation of an instrument in Peruvian workers (LABOR-PE-COVID-19)]. *Rev. De La Asoc. Española De Espec. En Med. Del Trab.* **2020**, *29*, 184–193.
96. Owen, C.; Seddon, C.; Clarke, K.; Bysouth, T.; Johnson, D. The impact of the COVID-19 pandemic on the mental health of dentists in Wales. *Br. Dent. J.* **2022**, *232*, 44–54. [CrossRef]
97. Moretti, A.; Menna, F.; Aulicino, M.; Paoletta, M.; Liguori, S.; Iolascon, G. Characterization of Home Working Population during COVID-19 Emergency: A Cross-Sectional Analysis. *Int. J. Environ. Res. Public Health* **2020**, *17*, 6284. [CrossRef]
98. Castañeda Herrera, Y.; Betancur, J.; Salazar Jiménez, N.L.; Mora Martínez, A. Bienestar laboral y salud mental en las organizaciones [Work well-being and mental health in organizations]. *Rev. Electrónica Psyconex* **2017**, *9*, 1–13.
99. De La Cruz Saavedra, D.S.; Gonzales Centurión, L.R. Nivel de Satisfacción Laboral ante el COVID-19 en el Supermercado Plaza Vea La Molina. 2020 [Level of Job Satisfaction in the Face of COVID-19 in the Supermarket Plaza Vea La Molina. 2020]; Universidad San Ignacio de Loyola: La Molina, Peru, 2020.
100. Guillén Vidarte, H.L. Percepción de Riesgo al COVID-19 y Salud Mental en Trabajadores de salud del Hospital de Chancay en el periodo Julio a Agosto del 2020 en Lima, Perú [Perception of risk to COVID-19 and Mental Health in Health Workers of the Chancay Hospital in the Period July to August 2020 in Lima, Peru]; Universidad Ricardo Palma: Santiago de Surco, Peru, 2021.
101. Oteir, A.O.; Nazzal, M.S.; Jaber, A.F.; Alwidyan, M.T.; Raffee, L.A. Depression, anxiety and insomnia among frontline healthcare workers amid the coronavirus pandemic (COVID-19) in Jordan: A cross-sectional study. *BMJ Open* **2022**, *12*, e050078. [CrossRef] [PubMed]
102. Song, L.; Wang, Y.; Li, Z.; Yang, Y.; Li, H. Mental Health and Work Attitudes among People Resuming Work during the COVID-19 Pandemic: A Cross-Sectional Study in China. *Int. J. Environ. Res. Public Health* **2020**, *17*, 5059. [CrossRef] [PubMed]
103. Castro Méndez, N.P. Riesgos psicosociales y salud laboral en centros de salud [Psychosocial risks and occupational health in health centers]. *Cienc. Trab.* **2018**, *20*, 155–159. [CrossRef]
104. Lovón Cueva, M.A.; Chegne Cortez, D.A. Repercusión del aislamiento social por COVID-19 en la salud mental en la población de Perú: Síntomas en el discurso del ciberespacio [Impact of social isolation by COVID-19 on mental health in the population of Peru: Symptoms in cyberspace discourse]. *Discurso Soc.* **2021**, *1*, 215–243.
105. Aldazabal Puma, Y. Estrés durante la pandemia en enfermeros que laboran primera línea en un hospital COVID-19 en Lima [Stress during the pandemic in nurses who work on the front line in a COVID-19 hospital in Lima]. *Rev. Científica Ágora* **2020**, *7*, 107–113. [CrossRef]

106. Román Cruz, R.Y. *Impacto de la Pandemia COVID-19 en la Sobrecarga Laboral del Personal de Salud: Revisión Sistemática [Impact of the COVID-19 Pandemic on the Work Overload of Health Personnel: A Systematic Review]*; Universidad Cesar Vallejo: Trujillo, Peru, 2020.
107. Rodríguez Zambrano, J.E. *Impacto de la Pandemia COVID-19 en la Salud Mental de la Población y del Personal Sanitario: Revisión Sistemática [Impact of the COVID-19 Pandemic on the Mental Health of the Population and Health Personnel: Systematic Review]*; Universidad Cesar Vallejo: Trujillo, Peru, 2020.
108. Acuña Huaranga, A. *Daños a Los Funcionarios Públicos Frente a la Seguridad Laboral en Tiempos de COVID-19. Municipalidad Distrital del Rímac 2020 [Damages to Public Officials in the Face of Job Security in Times of COVID-19. District Municipality of Rímac 2020]*; Universidad Cesar Vallejo: Trujillo, Peru, 2020.